

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
AGCO/ALLIS						
-	COMBINE E All eng.	York	NA	54-049		
-	F, G, K, L, M, N All eng.	flange rotolock flange rotolock	Tecumseh Tecumseh York York	NA NA NA NA	54-040 54-042 54-049 54-037	
-	R All eng.		SD508 Tecumseh	NA NA	74-007 54-042	
-	COTTON PICKER 880 All eng.		York	NA	54-037	
-	TRACTOR 200, 210, 220, 220FWA, 4W-305, 7000, 7010, 7020, 7030, 7040, 7045, 7050, 7060, 7080, 7580, 8550 All eng.		A6 A6 new	50-019 51-16255A	50-006 NA	5.6 dia. x .470 5.6 dia. x .470 12v 2:00 12v 2:00
-	440 All eng.		SD510 York	NA NA	NA 54-036	
-	6060, 6070, 6080 All eng.		R4	NA	NA	
-	6260 STAR CAB, 6265 STAR CAB, STAR CAB 6275, 7085, 7110, 7120, 7145 All eng.		SD508	NA	74-009	
-	8010, 8030, 8050, 8070 All eng.		A6 A6 new	50-021M 51-16330A	50-009 NA	5.6 dia. x .470 5.6 dia. x .470 12v 2:00 12v 2:00
-	8610, 8630, 9130, 9150, 9170, 9190 All eng.		SD508	74-012	74-011	5.2 dia. x 2 grv. 12v 12:00
CASE IH						
-	COMBINE 715 SP (with s/n above 23001), 1420 SP, 1440 SP, 1460 SP, 1470 HILLSIDE, 1480 SP All eng. w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-032 54-032	use p/n 73-044S use p/n 73-045S	

AG & OFF-ROAD

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
-	COMBINE continued 1620, 1620 E, 1640, 1640 E, 1640 NAV, 1660, 1660 E, 1660 NAV, 1670 NCE, 1680 E All eng. w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-033 54-033	use p/n 73-044S use p/n 73-045S	
-	COTTON PICKER 782 All eng. w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-032 54-032	use p/n 73-044S use p/n 73-045S	
-	1822, 1844 All eng. w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-033 54-033	use p/n 73-044S use p/n 73-045S	
-	HARVESTER / STRIPPER COTTON 1400 CH All eng. w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-032 54-032	use p/n 73-044S use p/n 73-045S	
-	TRACTOR Hydro 100, 756, 766, 770, 856, 870, 966, 970, 1066, 1070, 1090, 1170, 1175, 1256, 1270, 1290, 1370, 1390, 1456, 1466, 1468, 1470, 1490, 1566, 1568, 1570, 1590, 1690, 2090, 2094, 2290, 2294, 2390, 2394, 2470, 2590, 2594, 2670, 2756, 2856, 3294, 3384, 3394, 3594, 4156, 4166, 4168 All eng. w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-037 54-037	use p/n 73-044S use p/n 73-045S	
-	Hydro 186, 786, 886, 986, 1086, 1486, 1586, 3388, 3588, 3788, 4568, 4586, 4786 All eng. w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-032 54-032	use p/n 73-044S use p/n 73-045S	
-	2670, 2870 All eng.	A6 A6 new	50-003 51-16264A	50-005 NA	6.7 dia. x .470 6.7 dia. x .470	12v 10:00 12v 10:00
-	3088, 3288, Hydro 3488, 3688, 3688 HC, 5088, 5288, 5488, 6388, 6588, 6788, 7288, 7488 All eng. w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-033 54-033	use p/n 73-044S use p/n 73-045S	

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
-	TRACTOR continued 4490, 4690, 4890 All eng. w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	A6 A6 new York York	50-003 51-16264A NA NA	50-005 NA 54-037 54-037	6.7 dia. x .470 6.7 dia. x .470 use p/n 73-044S use p/n 73-045S	12v 10:00 12v 10:00
-	WINDROWERS / WINDROW HARVESTER 4000, 5000 All eng. w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-037 54-037	use p/n 73-044S use p/n 73-045S	
-	WHEEL LOADERS W14, W14H, W14FL, W18, W18B, W20, W20B, W20C, W24B, W24C, W36 w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-037 54-037	use p/n 73-044S use p/n 73-045S	
-	WHEEL TRACTORS - INDUSTRIAL 580D, 580 Super D, 580G, 580SE, 680K, 780C w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-037 54-037	use p/n 73-044S use p/n 73-045S	

CATERPILLAR

-	ALL MODELS All eng. flare tube O flange rotolock flange rotolock	A6 A6 new SD508 SD508 Tecumseh Tecumseh York York	50-034 51-16159A NA NA NA NA NA NA	50-005 NA 74-009 74-011 54-040 54-042 54-049 54-037	6.7 dia. x .470 6.7 dia. x .470	24v 2:00 24v 2:00
---	--	---	--	---	------------------------------------	----------------------

DRESSER

-	All eng. rotolock tube O rotolock tube O	SD508 Tecumseh Tecumseh York York	NA NA NA NA NA	74-011 54-042 54-039 54-037 54-030		
---	--	---	----------------------------	--	--	--

ELGIN SWEEPER

-	ALL MODELS All eng.	A6 A6 new	50-039 51-16202A	50-005 NA	5.0 dia. x .470 5.0 dia. x .470	12v 10:00 12v 10:00
---	-------------------------------	---------------------	----------------------------	---------------------	------------------------------------	------------------------

EUCLID

-	ALL MODELS All eng.	A6 Tecumseh	50-030 NA	50-006 54-039	6.7 dia. x .470	24v 10:00
---	-------------------------------	----------------	--------------	------------------	-----------------	-----------

AG & OFF-ROAD

AG & OFF-ROAD

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
-	COMBINE / GLEANER E3, F, F2, F3, G SERIES, K SERIES, K2, L SERIES, L2, L3, M SERIES, M2, M3, MH2, MH3, N5, N6, N7, R5, R6, R7, R40, R50, R52, R60, R62, R70, R72 All eng.	Tecumseh York	NA NA	54-042 54-032	use p/n 73-045S use p/n 73-045S	
-	DRY BEAN HARVESTER DB10, DB20, DB30 All eng.	rotolock tube O Tecumseh Tecumseh York York	NA NA NA NA	54-042 54-039 54-032 54-030	use p/n 73-045S use p/n 73-045S use p/n 73-045S use p/n 73-045S	
-	TRACTOR A62, A64, A66, 530A, 550, 555, 8200, 8600, 9200, 9600, 9700 All eng.	rotolock tube O Tecumseh Tecumseh York York	NA NA NA NA	54-042 54-039 54-032 54-030	use p/n 73-045S use p/n 73-045S use p/n 73-045S use p/n 73-045S	
-	FW20, TW5, TW10, TW15, TW20, TW25, TW30, TW35, 5600, 5700, 6600, 6610, 6700, 6710, 7600, 7610, 7700, 7810, 7910, 8210, 8530, 8630, 8730, 8830, 9000 All eng.	rotolock tube O Tecumseh Tecumseh York York	NA NA NA NA	54-042 54-039 54-032 54-030	use p/n 73-044S use p/n 73-044S use p/n 73-044S use p/n 73-044S	
-	230A, 233, 234, 335, 2310, 2600, 2610, 3600, 3610, 3910, 4100, 4110, 4600, 4610 All eng.	SD508	NA	74-007		

HESSTON

	ALL MODELS All eng.	flare tube O	SD508 SD508	74-010 74-012	74-009 74-011	5.2 dia. x 2 grv. 5.2 dia. x 2 grv.	12v 12:00 12v 12:00
	w/ 6.00" diameter double groove pulley		Tecumseh	NA	54-042	use p/n 73-044S	
	w/ 7.00" diameter double groove pulley		Tecumseh	NA	54-042	use p/n 73-045S	
	w/ LH suction						
	w/ 6.00" diameter double groove pulley		York	NA	54-037	use p/n 73-044S	
	w/ 7.00" diameter double groove pulley		York	NA	54-037	use p/n 73-045S	
	w/ RH suction						
	w/ 6.00" diameter double groove pulley		York	NA	54-032	use p/n 73-044S	
	w/ 7.00" diameter double groove pulley		York	NA	54-032	use p/n 73-045S	

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
-	BACKHOE LOADER 310C All eng.	6E171	64-024	NA	5.7 dia. x .480	12v 12:00
-	COMBINE 4400, 6600 7700 All eng. Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new	50-014 50-037 51-16250A	50-006 50-006 NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470	12v 10:00 12v 10:00 12v 10:00
-	4425, 4435, 6620, 6622 All eng.	6E171	64-024	NA	5.7 dia. x .480	12v 12:00
-	4420, 7720, 8820 All eng. Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new 6E171	50-014 50-037 51-16250A 64-024	50-006 50-006 NA NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470 5.7 dia. x .480	12v 10:00 12v 10:00 12v 10:00 12v 12:00
-	COTTON PICKER 9900, 9910, 9920, 9940 All eng. Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new	50-014 50-037 51-16250A	50-006 50-006 NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470	12v 10:00 12v 10:00 12v 10:00
-	9930, 9950, 9960 All eng.	6E171	64-024	NA	5.7 dia. x .480	12v 12:00
-	COTTON STRIPPER 7440 All eng. Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new 6E171	50-014 50-037 51-16250A 64-024	50-006 50-006 NA NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470 5.7 dia. x .480	12v 10:00 12v 10:00 12v 10:00 12v 12:00
-	FORAGE HARVESTER 5200, 5400, 5440, 5460, 5720, 5820 All eng. Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new	50-014 50-037 51-16250A	50-006 50-006 NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470	12v 10:00 12v 10:00 12v 10:00
-	5720, 5730, 5820, 5830 All eng.	6E171	64-024	NA	5.7 dia. x .480	12v 12:00
-	FORAGE HARVESTER 6000 All eng. Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new 6E171	50-014 50-037 51-16250A 64-024	50-006 50-006 NA NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470 5.7 dia. x .480	12v 10:00 12v 10:00 12v 10:00 12v 12:00

AG & OFF-ROAD

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
-	HI-CYCLE 6000 All eng. Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new 6E171	50-014 50-037 51-16250A 64-024	50-006 50-006 NA NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470 5.7 dia. x .480	12v 10:00 12v 10:00 12v 10:00 12v 12:00
	TRACTOR 2355, 2555, 2755, 2855N, 2955, 3155 All eng. Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new 6E171	50-014 50-037 51-16250A 64-024	50-006 50-006 NA NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470 5.7 dia. x .480	12v 10:00 12v 10:00 12v 10:00 12v 12:00
	2350, 2550, 2750, 2940, 2950, 3150, 4020, 4030, 4040, 4230, 4240, 4320, 4430, 4440, 4520, 4620, 4630, 4640, 4840, 5020, 6030, 7020, 7520, 8430, 8440, 8630, 8640 All eng. Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new	50-014 50-037 51-16250A	50-006 50-006 NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470	12v 10:00 12v 10:00 12v 10:00
	4050, 4055, 4250, 4255, 4450, 4455, 4555, 4755, 4955, 4650, 4850, 8450, 8560, 8650, 8760, 8960, 8850 All eng.	6E171	64-024	NA	5.7 dia. x .480	12v 12:00
	WINDROWER 2250, 2270, 2280, 2320, 2420 All eng. Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new	50-014 50-037 51-16250A	50-006 50-006 NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470	12v 10:00 12v 10:00 12v 10:00
	3430, 3830 All eng.	6E171	64-024	NA	5.7 dia. x .480	12v 12:00

KOMATSU

-	ALL MODELS All eng.	A6 A6 new Tecumseh York	50-034 51-16159A NA NA	50-005 NA 54-042 54-037	6.7 dia. x .470 6.7 dia. x .470	24v 2:00 24v 2:00
---	-------------------------------	---	--	---	------------------------------------	----------------------

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
	COMBINE 410, 510, 8590, 9720 All eng.	Tecumseh York	NA NA	54-042 54-037		
-	540, 550, 750, 760, 850, 860, 865 All eng. w/ 5.62" diameter pulley Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new A6 A6 new R4	50-014 50-037 51-16250A 50-020M 51-16418A NA	50-006 50-006 NA 50-009 NA NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470 6.7 dia. x .470 6.7 dia. x .470	12v 10:00 12v 10:00 12v 10:00 12v 10:00 12v 10:00
	FAIL SHREADER 180 All eng.	Tecumseh	NA	54-040		
-	SKIDDER 20, 30, 220 All eng. flange flange w/ LH suction w/ RH suction rotolock	Tecumseh Tecumseh York York York	NA NA NA NA NA	54-040 54-042 54-049 54-031 54-037		
-	SWATHER 165, 180, 135, 150, 175, 1080 All eng.	Tecumseh	NA	54-040		
-	TRACTOR 100, 200, 1000, 1080, 1085, 1100, 1105, 1130, 1135, 1150, 1155, 2640, 2675, 2705, 2745, 2775, 2805, 3505, 3525, 3545 All eng. w/ SHS w/ 10:00 terminal position Remfg. comp w/ remfg. clt. Remfg. comp w/ new clutch	A6 A6 A6 new A6 A6 new A6 A6 new Tecumseh York	50-014 50-037 51-16250A 50-013 NA 50-020M 51-16264A NA NA	50-006 50-006 NA 50-006 NA 50-009 NA 54-042 54-037	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470 use p/n 73-011S 6.7 dia. x .470 6.7 dia. x .470	12v 10:00 12v 10:00 12v 10:00 12v 2:00 use p/n 73-017S 12v 10:00 12v 10:00

AG & OFF-ROAD

CASE/NEW HOLLAND

-	BALE WAGON 1038, 1078, 1079, 1085 All eng.	York	NA	54-037		
-	COMBINE TR 86, TR87, TR96, TR97 All eng.	SD508 York	NA NA	NA 54-037		

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.	
-	HARVESTER 1915, 2115 All eng. w/o switch	A6	50-040	50-005	5.6 dia. x .470	12v 10:00	
		A6 new	51-16262A	NA	5.6 dia. x .470	12v 10:00	
		A6	50-014	50-006	5.6 dia. x .470	12v 10:00	
		A6	50-037	50-006	5.6 dia. x .470	12v 10:00	
	-	TRACTOR ALL MODELS All eng. w/o switch	A6 new	51-16250A	NA	5.6 dia. x .470	12v 10:00
			A6	50-014	50-006	5.6 dia. x .470	12v 10:00
			A6	50-037	50-006	5.6 dia. x .470	12v 10:00
			A6 new	51-16250A	NA	5.6 dia. x .470	12v 10:00
			SD508	NA	74-009		
			SD508	NA	74-011		
			Tecumseh	NA	54-042		
			Tecumseh	NA	54-039		
-	SWATHER 4750, 4850 All eng.	A6	50-040	50-005	5.6 dia. x .470	12v 10:00	
		A6 new	51-16262A	NA	5.6 dia. x .470	12v 10:00	
		York	NA	54-037			
-	WINDROWER 1118, 2450, 2550 All eng.	A6	50-040	50-005	5.6 dia. x .470	12v 10:00	
		A6 new	51-16262A	NA	5.6 dia. x .470	12v 10:00	
		York	NA	54-037			
STEIGER							
-	TRACTOR BC SERIES, COUGAR SERIES, SWC SERIES, WC SERIES I & II All eng.	SD508 York	74-012 NA	74-011 54-037	5.2 dia. x 2 grv. use p/n 73-045S	12v 12:00	
TEREX							
-	ALL MODELS All eng.	A6 A6 new	NA 51-16274A	50-009 NA	use p/n 73-006S 5.0 dia. x .470	use p/n 73-017S 24v 10:00	
VERSITILE							
-	TRACTOR 700, 750, 800,825, 835, 850, 855, 875, 895, 900, 935, 950, All eng.	York	NA	54-037	use p/n 73-045S		

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
	COMBINE 7600, 8600, 8800, 8900, 8920, 9700, 9720 w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-037 54-037	use p/n 73-044S use p/n 73-045S	
	TRACTOR 2-105, 2-135, 2-150, 2-155, 2-180, 4-180, 4-210 w/ 6.00" diameter double groove pulley w/ 7.00" diameter double groove pulley	York York	NA NA	54-037 54-037	use p/n 73-044S use p/n 73-045S	

AG & OFF-ROAD