

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
AUTOCAR						
-	A, AC, AT, DC, DK, KK CONVENTIONAL CAB All eng. flare tube O	A6 A6 new SD508 SD508 Tecumseh York	50-019 51-16252A 74-010 74-012 NA NA	50-006 NA 74-009 74-011 54-042 54-037	5.6 dia. x .470 5.6 dia. x .470 5.2 dia. x 2 grv. 5.2 dia. x 2 grv.	12v 2:00 12v 2:00 12v 12:00 12v 12:00
BROCKWAY						
-	300, 700 SERIES CONVENTIONAL CAB, 400 SERIES CAB OVER All eng.	Tecumseh York	NA NA	54-042 54-037		
CHEVROLET						
90-87	B SERIES SCHOOL BUS CHASSIS All eng.	DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00
86-85	All eng.	A6 A6 new DA6 HDS new R4 R4 new	50-010M 51-16376A 68-017 69-217 52-014M 53-214M	50-009 NA NA NA NA NA	5.0 dia. x .470 5.0 dia. x .470 5.4 dia. x .470 5.4 dia. x .470 5.1 dia. x .5 5.1 dia. x .5	12v 2:00 12v 2:00 12v 2:00 12v 2:00 12v 9:00 12v 9:00
84	All eng.	A6 A6 new DA6 HDS new R4 R4 new	50-010M 51-16376A 68-017 69-217 52-014M 53-214M	50-009 NA NA NA NA NA	5.0 dia. x .470 5.0 dia. x .470 5.4 dia. x .470 5.4 dia. x .470 5.1 dia. x .5 5.1 dia. x .5	12v 2:00 12v 2:00 12v 2:00 12v 2:00 12v 9:00 12v 9:00
83-80	All eng.	A6 A6 new	50-010M 51-16376A	50-009 NA	5.0 dia. x .470 5.0 dia. x .470	12v 2:00 12v 2:00
91	B, P 600 SERIES 8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
90	8 cyl. 8.2L diesel w/ 4.93" diameter pulley w/ 5.40" diameter pulley	DA6 DA6 HDS new	68-010 68-017 69-217	NA NA NA	4.9 dia. x .470 5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00 12v 2:00
89	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
88	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
87	8 cyl. 8.2L diesel	DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00
86-85	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
98-95	C, F5, F6, F7 SERIES MEDIUM DUTY 8 cyl. 6.0L 8 cyl. 6.5L diesel 8 cyl. 6.6L diesel 8 cyl. 7.0L	Sanden HT6 HT6 new Sanden Sanden	NA 68-239 69-239 NA NA	NA NA NA NA NA	4.2 dia. x 6 poly V 4.2 dia. x 6 poly V	12v 2:00 12v 2:00

MED & HD TRUCK / BUS

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
C, F5, F6, F7 SERIES MEDIUM DUTY continued						
94	8 cyl. 6.0L	Sanden	NA	NA		
	8 cyl. 7.0L	Sanden	NA	NA		
93-92	All eng.	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
		Sanden	NA	NA		
91	6 cyl. 4.8L	R4	52-015M	NA	6.0 dia. x .5	12v 12:00
	8 cyl. 6.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 7.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
90-89	6 cyl. 4.8L	R4	52-015M	NA	6.0 dia. x .5	12v 12:00
	8 cyl. 5.7L					
	w/ 4.93" diameter pulley	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	w/ 5.40" diameter pulley	DA6	68-017	NA	5.4 dia. x .470	12v 2:00
		HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
	8 cyl. 6.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	w/ 4.93" diameter pulley	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	w/ 5.40" diameter pulley	DA6	68-017	NA	5.4 dia. x .470	12v 2:00
		HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
	8 cyl. 7.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	w/ 4.93" diameter pulley	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	w/ 5.40" diameter pulley	DA6	68-017	NA	5.4 dia. x .470	12v 2:00
		HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
		R4	52-009M	NA	5.4 dia. x .470	12v 12:00
88-87	All eng. w/ 4.93" diameter pulley	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	w/ 5.40" diameter pulley	DA6	68-017	NA	5.4 dia. x .470	12v 2:00
		HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
86-85	All eng. exc. 8.2L diesel	DA6	68-017	NA	5.4 dia. x .470	12v 2:00
		HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
		R4	52-008M	NA	4.9 dia. x .470	12v 9:00
		R4 new	53-208M	NA	4.9 dia. x .470	12v 9:00
84-73	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	All eng. w/o switch	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
	w/ SHS	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
72-68	All eng.	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
D SERIES, ASTRO, TITAN						
89-88	All eng.	Sanden	NA	NA		
87-86	All eng.	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
		Sanden	NA	NA		
85	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12v 2:00
84-68	All eng. w/ 5.00" diameter pulley	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
	w/ 6.77" diameter pulley	A6	50-019	50-006	6.7 dia. x .470	12v 2:00
		A6 new	51-16255A	NA	6.7 dia. x .470	12v 2:00

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
89-88	H, J, M SERIES, BRUIN, BRIGADIER All eng.	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new Sanden	51-16197A NA	NA NA	5.0 dia. x .470	12v 2:00
87-85	All eng.	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new DA6	51-16197A 68-010	NA NA	5.0 dia. x .470	12v 2:00
84-81	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new DA6	51-16243A 68-010	NA NA	5.0 dia. x .470	12v 2:00
80	All eng. w/ 12v coil	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
	Detroit Diesel 8V-71N w/ 24v coil	A6 new A6	51-16243A 50-016	NA 50-006	5.0 dia. x .470	12v 2:00
79-68	All eng. w/ 5.00" diameter pulley w/ 6.77" diameter pulley	A6 new A6	51-16252A 50-007	NA 50-006	5.6 dia. x .470	24v 2:00
		A6 new A6	51-16243A 50-019	NA 50-006	5.0 dia. x .470	12v 2:00
00-98	KODIAK 4x2, 6x4 C 6 cyl. 6.6L 8 cyl. 6.0L	Sanden	NA	NA		
		Sanden	NA	NA		
97-94	6 cyl. 6.6L 8 cyl. 6.0L	Sanden	NA	NA		
		Sanden	NA	NA		
93-92	All eng. 6 cyl. 6.6L 8 cyl. 7.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new Sanden	69-220 NA	NA NA	4.9 dia. x .470	12v 2:00
91	6 cyl. 6.6L 8 cyl. 6.0L	Sanden	NA	NA		
		HDS	68-220	NA	4.9 dia. x .470	12v 2:00
90-88	8 cyl. 5.7L 8 cyl. 6.0L	HDS new HDS	69-220 68-220	NA NA	4.9 dia. x .470	12v 2:00
		HDS new DA6	69-217 68-017	NA NA	4.9 dia. x .470	12v 2:00
87-85	All eng. w/ 4.93" diameter pulley w/ 5.40" diameter pulley	HDS new DA6	69-217 68-017	NA NA	5.4 dia. x .470	12v 2:00
		HDS new DA6	69-217 68-017	NA NA	5.4 dia. x .470	12v 2:00
84-82	All eng.	HDS new A6	69-217 50-007	NA 50-006	5.4 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
99	LOW CAB FORWARD 4x2, 6x4 6 cyl. 3.1L 8 cyl. 7.4L	Sanden	NA	NA		
		Sanden	NA	NA		
98	6 cyl. 3.1L 8 cyl. 6.0L	Sanden	NA	NA		
		Sanden	NA	NA		
	8 cyl. 6.0L 8 cyl. 7.4L	Sanden	NA	NA		
		Sanden	NA	NA		

MED & HD TRUCK / BUS

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
LOW CAB FORWARD 4x2, 6x4 continued						
97	6 cyl. 3.1L	Sanden	NA	NA		
	6 cyl. 6.6L	Sanden	NA	NA		
	8 cyl. 6.0L	Sanden	NA	NA		
MEDIUM DUTY FORWARD CONTROL CHASSIS						
95	8 cyl. 6.0L	Sanden	NA	NA		
	8 cyl. 6.6L diesel	Sanden	NA	NA		
	8 cyl. 7.0L	Sanden	NA	NA		
94	8 cyl. 6.0L	Sanden	NA	NA		
	8 cyl. 7.0L	Sanden	NA	NA		
93-92	All eng.	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
		Sanden	NA	NA		
91	8 cyl. 6.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 7.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
90-87	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	6 cyl. 4.8L	R4	52-015M	NA	6.0 dia. x .5	12v 12:00
	8 cyl. 5.7L	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 6.0L	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 7.0L	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
N SERIES, BISON, GENERAL						
87-84	All eng.	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12v 2:00
83	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
82	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
81	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
80-68	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
P SERIES STEP VAN						
97	All eng.	HT6	68-238	NA	5.0 dia. x 6 poly V	12v 2:00
		HT6 new	69-238	NA	5.0 dia. x 6 poly V	12v 2:00
96-95	All eng.	HT6	68-238	NA	5.0 dia. x 6 poly V	12v 2:00
		HT6 new	69-238	NA	5.0 dia. x 6 poly V	12v 2:00
		R4	52-228M	NA	4.9 dia. x .470	12v 12:00
94	All eng.	HT6	68-238	NA	5.0 dia. x 6 poly V	12v 2:00
		HT6 new	69-238	NA	5.0 dia. x 6 poly V	12v 2:00
		R4	52-228M	NA	4.9 dia. x .470	12v 12:00
93-92	8 cyl. 6.5L (F) diesel	HDS	68-233	NA	4.2 dia. x 6 poly V	12v 2:00
	8 cyl. 6.5L (Y) diesel	HD6	68-230	NA	4.2 dia. x 6 poly V	12v 2:00
	8 cyl. 5.7L	R4	52-219M	NA	4.9 dia. x .470	12v 12:00
		R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00
91	8 cyl. 5.7L, 6.2L	R4	52-119M	NA	4.9 dia. x .470	12v 12:00
		R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00
90-89	8 cyl. 5.7L	R4	52-005M	NA	5.1 dia. x .5	12v 12:00
		R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00
	8 cyl. 6.2L	R4	52-005M	NA	5.1 dia. x .5	12v 12:00
		R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00

YEAR	APPLICATION		COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
88	P SERIES STEP VAN continued All eng.		DA6	68-010	NA	4.9 dia. x .470	12v 2:00
			R4	52-005M	NA	5.1 dia. x .5	12v 12:00
87	All eng.		R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00
			R4	52-014M	NA	5.1 dia. x .5	12v 9:00
86-85	All eng.	w/ OEM #1131382	R4 new	53-214M	NA	5.1 dia. x .5	12v 9:00
	All eng.	w/ OEM #1131200	R4	52-005M	NA	5.1 dia. x .5	12v 12:00
	All eng.		R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00
			R4	52-005	NA	5.1 dia. x .5	12v 12:00
	6 cyl.	4.8L	R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00
	8 cyl.	5.7L	R4	52-008M	NA	4.9 dia. x .470	12v 9:00
	8 cyl.	6.2L diesel	R4 new	53-208M	NA	4.9 dia. x .470	12v 9:00
	8 cyl.	7.4L	R4 new	53-208M	NA	4.9 dia. x .470	12v 9:00
84	All eng.		DA6	68-001	NA	4.9 dia. x .470	12v 10:00
			HDS new	69-201	NA	4.9 dia. x .470	12v 10:00
83-80	All eng.		DA6	68-011	NA	4.9 dia. x .470	12v 10:00
			R4	52-005M	NA	5.1 dia. x .5	12v 12:00
			R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00
			A6	50-001	50-005	5.0 dia. x .470	12v 2:00
			A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
			R4	52-005M	NA	5.1 dia. x .5	12v 12:00
79-68	All		R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00
			A6	50-001	50-005	5.0 dia. x .470	12v 2:00
			A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
P SERIES MOTORHOME CHASSIS							
00-98	8 cyl.	6.5L diesel	HT6	68-238	NA	5.0 dia. x 6 poly V	12v 2:00
			HT6 new	69-238	NA	5.0 dia. x 6 poly V	12v 2:00
	8 cyl.	7.4L	HT6	68-238	NA	5.0 dia. x 6 poly V	12v 2:00
97-96	All eng.		HT6 new	69-238	NA	5.0 dia. x 6 poly V	12v 2:00
			R4	52-227M	NA	4.2 dia. x 6 poly V	12v 12:00
95	All eng.		R4 new	53-227M	NA	4.2 dia. x 6 poly V	12v 12:00
			R4	52-227M	NA	4.2 dia. x 6 poly V	12v 12:00
	8 cyl.	6.5L (Y) diesel	R4 new	53-227M	NA	4.2 dia. x 6 poly V	12v 12:00
			HD6	68-230	NA	4.2 dia. x 6 poly V	12v 2:00
TOP KICK 4x2, 6x4 C							
00-98	6 cyl.	6.6L diesel	Sanden	NA	NA		
	8 cyl.	6.0L	Sanden	NA	NA		
	8 cyl.	7.0L	Sanden	NA	NA		
	8 cyl.	7.4L (B)	Sanden	NA	NA		
	8 cyl.	7.4L (D)	Sanden	NA	NA		
97-94	6 cyl.	6.6L diesel	Sanden	NA	NA		
	8 cyl.	6.0L	Sanden	NA	NA		
	8 cyl.	7.0L	Sanden	NA	NA		
93	6 cyl.	6.6L diesel	Sanden	NA	NA		
	8 cyl.	6.0L (L)	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
			HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	8 cyl.	6.0L (B)	Sanden	NA	NA		
	8 cyl.	7.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
			HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	8 cyl.	7.0L	Sanden	NA	NA		

MED & HD TRUCK / BUS

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
92-91	TOP KICK 4x2, 6x4 C continued 6 cyl. 6.6L diesel 8 cyl. 6.0L 8 cyl. 7.0L	Sanden	NA	NA		
		HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
		HDS	68-220	NA	4.9 dia. x .470	12v 2:00
90-87	8 cyl. 5.7L 8 cyl. 6.0L 8 cyl. 7.0L	HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12v 2:00
86-83	All eng. w/ 4.93" diameter pulley w/ 5.40" diameter pulley	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
		DA6	68-017	NA	5.4 dia. x .470	12v 2:00
82-70	All eng.	HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
		A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00

DODGE

77-62	ALL MODELS All eng.	RV2 York	NA NA	56-003 54-037		
-------	-------------------------------	-------------	----------	------------------	--	--

FLEXIBLE

-	ALL MODELS All eng. w/ 12v coil w/ 24v coil	A6 A6 new A6 A6 new	50-003 51-16264A 50-034M 51-16159A	50-005 NA 50-005 NA	6.7 dia. x .470 6.7 dia. x .470 6.7 dia. x .470 6.7 dia. x .470	12v 10:00 12v 10:00 24v 2:00 24v 2:00
---	--	--	---	--	--	--

FORD TRUCK

88-86 85-80	B SERIES SCHOOL BUS CHASSIS All eng. All eng.	FS6	NA	58-003		
		Tecumseh	NA	54-042		
90-86 85-69	C and CT SERIES LOW-TILT CAB All eng. All eng.	FS6	NA	58-003		
		Tecumseh	NA	54-039		
		York	NA	54-030		
84-69	All eng. w/ Kysor AC	Tecumseh	NA	54-042		
		York	NA	54-037		
90-78	CL and CLT SERIES CAB OVER ENGINE All eng. w/ Kysor AC	FS6	NA	58-003		
		A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
		Tecumseh	NA	54-042		
		York	NA	54-037		
90-84 84-80	F and FT SERIES CONVENTIONAL CAB All eng. All eng.	FS6	NA	58-003		
		York	NA	54-031		

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
91-84 86-70	L SERIES - LOUISVILLE CONVENTIONAL All eng. All eng.	FS6 Tecumseh York	NA NA NA	58-003 54-042 54-030		
80-78 77-70	W and WT SERIES CAB OVER ENGINE All eng. All eng.	A6 A6 new Tecumseh York	50-007 51-16243A NA NA	50-006 NA 54-042 54-037	5.0 dia. x .470 5.0 dia. x .470	12v 2:00 12v 2:00

FREIGHTLINER

92-85	ALL MODELS All eng.	SD508 Tecumseh York	74-012 NA NA	74-011 54-042 54-037	5.2 dia. x 2 grv.	12v 12:00
-	All eng. w/o switch	A6 A6 new	50-001 51-16197A	50-005 NA	5.0 dia. x .470 5.0 dia. x .470	12v 2:00 12v 2:00
	w/ SHS w/ 5.00" diameter pulley	A6 A6 new	50-007 51-16243A	50-005 NA	5.0 dia. x .470 5.0 dia. x .470	12v 2:00 12v 2:00
	w/ 5.62" diameter pulley Remfg. comp. w/ remfg. clt. Remfg. comp. w/ new clutch	A6 A6 A6 new	50-014 50-037 51-16250A	50-006 50-006 NA	5.6 dia. x .470 5.6 dia. x .470 5.6 dia. x .470	12v 10:00 12v 10:00 12v 10:00
	flange rotolock tube O	SD508 Tecumseh Tecumseh Tecumseh	NA NA NA	74-009 54-040 54-042 54-039		
	w/ LH suction flange rotolock tube O	York York York	NA NA NA	54-049 54-037 54-030		
	w/ RH suction flange rotolock tube O	York York York	NA NA NA	54-031 54-032 54-033		

GMC

90-87	B SERIES SCHOOL BUS CHASSIS All eng.	DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00
86-85	All eng.	A6 A6 new	50-010M 51-16376A	50-009 NA	5.0 dia. x .470 5.0 dia. x .470	12v 2:00 12v 2:00
		DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00
		R4 R4 new	52-014M 53-214M	NA NA	5.1 dia. x .5 5.1 dia. x .5	12v 9:00 12v 9:00
84	All eng.	A6 A6 new	50-010M 51-16376A	50-009 NA	5.0 dia. x .470 5.0 dia. x .470	12v 2:00 12v 2:00
		DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00
		R4 R4 new	52-014M 53-214M	NA NA	5.1 dia. x .5 5.1 dia. x .5	12v 9:00 12v 9:00

MED & HD TRUCK / BUS

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
B SERIES SCHOOL BUS CHASSIS continued						
83-80	All eng.	A6 A6 new	50-010M 51-16376A	50-009 NA	5.0 dia. x .470 5.0 dia. x .470	12v 2:00 12v 2:00
B, P 600 SERIES						
91	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2.:00
90	8 cyl. 8.2L diesel w/ 4.93" diameter pulley w/ 5.40" diameter pulley	DA6 DA6 HDS new	68-010 68-017 69-217	NA NA NA	4.9 dia. x .470 5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00 12v 2:00
89	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2.:00
88	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2.:00
87	8 cyl. 8.2L diesel	DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2.:00 12v 2:00
86-85	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2.:00
C, F5, F6, F7 SERIES MEDIUM DUTY						
98-95	8 cyl. 6.0L	Sanden	NA	NA		
	8 cyl. 6.5L diesel	HT6 HT6 new	68-239 69-239	NA NA	4.2 dia. x 6 poly V 4.2 dia. x 6 poly V	12v 2:00 12v 2:00
	8 cyl. 6.6L diesel	Sanden	NA	NA		
	8 cyl. 7.0L	Sanden	NA	NA		
94	8 cyl. 6.0L	Sanden	NA	NA		
	8 cyl. 7.0L	Sanden	NA	NA		
93-92	All eng.	HDS HDS new	68-220 69-220	NA NA	4.9 dia. x .470 4.9 dia. x .470	12v 2:00 12v 2:00
		Sanden	NA	NA		
91	6 cyl. 4.8L	R4	52-015M	NA	6.0 dia. x .5	12v 12:00
	8 cyl. 6.0L	HDS HDS new	68-220 69-220	NA NA	4.9 dia. x .470 4.9 dia. x .470	12v 2:00 12v 2:00
	8 cyl. 7.0L	HDS HDS new	68-220 69-220	NA NA	4.9 dia. x .470 4.9 dia. x .470	12v 2:00 12v 2:00
90-89	6 cyl. 4.8L	R4	52-015M	NA	6.0 dia. x .5	12v 12:00
	8 cyl. 5.7L					
	w/ 4.93" diameter pulley	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	w/ 5.40" diameter pulley	DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00
	8 cyl. 6.0L	HDS HDS new	68-220 69-220	NA NA	4.9 dia. x .470 4.9 dia. x .470	12v 2:00 12v 2:00
	w/ 4.93" diameter pulley	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	w/ 5.40" diameter pulley	DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00
	8 cyl. 7.0L	HDS HDS new	68-220 69-220	NA NA	4.9 dia. x .470 4.9 dia. x .470	12v 2:00 12v 2:00
	w/ 4.93" diameter pulley	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	w/ 5.40" diameter pulley	DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00
88-87	All eng. w/ 4.93" diameter pulley	R4	52-009M	NA	5.4 dia. x .470	12v 12:00
	w/ 5.40" diameter pulley	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
		DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00
86-85	All eng. exc. 8.2L diesel	DA6 HDS new	68-017 69-217	NA NA	5.4 dia. x .470 5.4 dia. x .470	12v 2:00 12v 2:00
		R4	52-008M	NA	4.9 dia. x .470	12v 9:00
		R4 new	53-208M	NA	4.9 dia. x .470	12v 9:00
	8 cyl. 8.2L diesel	DA6	68-010	NA	4.9 dia. x .470	12v 2:00

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
C, F5, F6, F7 SERIES MEDIUM DUTY continued						
84-73	All eng. w/o switch	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
	w/ SHS	A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
		A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
72-68	All eng.	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
D SERIES, ASTRO, TITAN						
89-88	All eng.	Sanden	NA	NA		
87-86	All eng.	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
		Sanden	NA	NA		
85	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12v 2:00
84-68	All eng. w/ 5.00" diameter pulley	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
	w/ 6.77" diameter pulley	A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
		A6	50-019	50-006	6.7 dia. x .470	12v 2:00
		A6 new	51-16255A	NA	6.7 dia. x .470	12v 2:00
H, J, M SERIES, BRUIN, BRIGADIER						
89-88	All eng.	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
		Sanden	NA	NA		
87-85	All eng.	A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12V 2:00
84-81	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12V 2:00
80	All eng. w/ 12v coil	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
	Detroit Diesel 8V-71N w/ 24v coil	A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
		A6	50-016	50-006	5.6 dia. x .470	24v 2:00
		A6 new	51-16252A	NA	5.6 dia. x .470	24v 2:00
79-68	All eng. w/ 5.00" diameter pulley	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
	w/ 6.77" diameter pulley	A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
		A6	50-019	50-006	6.7 dia. x .470	12v 2:00
		A6 new	51-16255A	NA	6.7 dia. x .470	12v 2:00
KODIAK 4x2, 6x4 C						
00-98	6 cyl. 6.6L	Sanden	NA	NA		
	8 cyl. 6.0L	Sanden	NA	NA		
	8 cyl. 7.0L	Sanden	NA	NA		
	8 cyl. 7.4L	Sanden	NA	NA		
97-94	6 cyl. 6.6L	Sanden	NA	NA		
	8 cyl. 6.0L	Sanden	NA	NA		
	8 cyl. 7.0L	Sanden	NA	NA		
93-92	All eng.	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	6 cyl. 6.6L	Sanden	NA	NA		
	8 cyl. 6.0L	Sanden	NA	NA		
	8 cyl. 7.0L	Sanden	NA	NA		
91	6 cyl. 6.6L	Sanden	NA	NA		
	8 cyl. 6.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 7.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00

MED & HD TRUCK / BUS

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
90-88	KODIAK 4x2, 6x4 C continued 8 cyl. 5.7L 8 cyl. 6.0L 8 cyl. 7.0L	DA6	68-017	NA	5.4 dia. x .470	12v 2:00
		HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
		DA6	68-017	NA	5.4 dia. x .470	12v 2:00
		HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
		DA6	68-017	NA	5.4 dia. x .470	12v 2:00
87-85	All eng. w/ 4.93" diameter pulley w/ 5.40" diameter pulley	HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12v 2:00
		DA6	68-017	NA	5.4 dia. x .470	12v 2:00
84-82	All eng.	HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
		A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
LOW CAB FORWARD 4x2, 6x4						
99	6 cyl. 3.1L 8 cyl. 7.4L	Sanden	NA	NA		
		Sanden	NA	NA		
98	6 cyl. 3.1L 6 cyl. 6.6L	Sanden	NA	NA		
		Sanden	NA	NA		
97	8 cyl. 6.0L 8 cyl. 7.4L 6 cyl. 3.1L 6 cyl. 6.6L 8 cyl. 6.0L	Sanden	NA	NA		
		Sanden	NA	NA		
		Sanden	NA	NA		
		Sanden	NA	NA		
		Sanden	NA	NA		
MEDIUM DUTY FORWARD CONTROL CHASSIS						
95	8 cyl. 6.0L 8 cyl. 6.6L diesel 8 cyl. 7.0L	Sanden	NA	NA		
		Sanden	NA	NA		
		Sanden	NA	NA		
94	8 cyl. 6.0L 8 cyl. 7.0L	Sanden	NA	NA		
		Sanden	NA	NA		
93-92	All eng.	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
91	8 cyl. 6.0L 8 cyl. 7.0L	Sanden	NA	NA		
		HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
90-87	8 cyl. 8.2L diesel 6 cyl. 4.8L 8 cyl. 5.7L 8 cyl. 6.0L 8 cyl. 7.0L 8 cyl. 8.2L diesel	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
		HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12v 2:00
		R4	52-015M	NA	6.0 dia. x .5	12v 12:00
		DA6	68-010	NA	4.9 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12v 2:00
87-84	All eng.	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
		A6	50-001	50-005	5.0 dia. x .470	12v 2:00
		A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00
		DA6	68-010	NA	4.9 dia. x .470	12V 2:00
		A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
		A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
		A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
80-68	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00

YEAR	APPLICATION		COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.	
97	P SERIES STEP VAN All eng.		HT6	68-238	NA	5.0 dia. x 6 poly V	12v 2:00	
			HT6 new	69-238	NA	5.0 dia. x 6 poly V	12v 2:00	
96-95	All eng.		HT6	68-238	NA	5.0 dia. x 6 poly V	12v 2:00	
			HT6 new	69-238	NA	5.0 dia. x 6 poly V	12v 2:00	
94	All eng.		R4	52-228M	NA	4.9 dia. x .470	12v 12:00	
			HT6	68-238	NA	5.0 dia. x 6 poly V	12v 2:00	
			HT6 new	69-238	NA	5.0 dia. x 6 poly V	12v 2:00	
			R4	52-228M	NA	4.9 dia. x .470	12v 12:00	
93-92	8 cyl. 6.5L (F) diesel 8 cyl. 6.5L (Y) diesel 8 cyl. 5.7L		HDS	68-233	NA	4.2 dia. x 6 poly V	12v 2:00	
			HD6	68-230	NA	4.2 dia. x 6 poly V	12v 2:00	
			R4	52-219M	NA	4.9 dia. x .470	12v 12:00	
			R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00	
91	8 cyl. 5.7L, 6.2L		R4	52-119M	NA	4.9 dia. x .470	12v 12:00	
			R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00	
90-89	8 cyl. 5.7L		R4	52-005M	NA	5.1 dia. x .5	12v 12:00	
			R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00	
			R4	52-005M	NA	5.1 dia. x .5	12v 12:00	
			R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00	
88	All eng.		R4	52-005M	NA	5.1 dia. x .5	12v 12:00	
			R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00	
			DA6	68-010	NA	4.9 dia. x .470	12v 2:00	
			R4	52-005M	NA	5.1 dia. x .5	12v 12:00	
87	All eng.		R4	52-014M	NA	5.1 dia. x .5	12v 9:00	
			R4 new	53-214M	NA	5.1 dia. x .5	12v 9:00	
86-85	All eng. w/ OEM #1131382		R4	52-005M	NA	5.1 dia. x .5	12v 12:00	
	All eng. w/ OEM #1131200		R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00	
	6 cyl. 4.8L		R4	52-008M	NA	4.9 dia. x .470	12v 9:00	
	8 cyl. 5.7L		R4 new	53-208M	NA	4.9 dia. x .470	12v 9:00	
84	All eng.		R4	52-008M	NA	4.9 dia. x .470	12v 9:00	
			R4 new	53-208M	NA	4.9 dia. x .470	12v 9:00	
			8 cyl. 6.2L diesel	DA6	68-001	NA	4.9 dia. x .470	12v 10:00
			8 cyl. 7.4L	HDS new	69-201	NA	4.9 dia. x .470	12v 10:00
			8 cyl. 7.4L	DA6	68-011	NA	4.9 dia. x .470	12v 10:00
			8 cyl. 7.4L	R4	52-005M	NA	5.1 dia. x .5	12v 12:00
83-80	All eng.		R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00	
			A6	50-001	50-005	5.0 dia. x .470	12v 2:00	
			A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00	
			R4	52-005M	NA	5.1 dia. x .5	12v 12:00	
79-68	All		R4 new	53-219M	NA	4.9 dia. x .470	12v 12:00	
			A6	50-001	50-005	5.0 dia. x .470	12v 2:00	
			A6 new	51-16197A	NA	5.0 dia. x .470	12v 2:00	
00-98	P SERIES MOTORHOME CHASSIS 8 cyl. 6.5L diesel		HT6	68-238	NA	5.0 dia. x 6 poly V	12v 2:00	
			HT6 new	69-238	NA	5.0 dia. x 6 poly V	12v 2:00	
			HT6	68-238	NA	5.0 dia. x 6 poly V	12v 2:00	
			HT6 new	69-238	NA	5.0 dia. x 6 poly V	12v 2:00	
97-96	All eng.		R4	52-227M	NA	4.2 dia. x 6 poly V	12v 12:00	
			R4 new	53-227M	NA	4.2 dia. x 6 poly V	12v 12:00	
95	All eng.		R4	52-227M	NA	4.2 dia. x 6 poly V	12v 12:00	
			R4 new	53-227M	NA	4.2 dia. x 6 poly V	12v 12:00	
	8 cyl. 6.5L (Y) diesel		HD6	68-230	NA	4.2 dia. x 6 poly V	12v 2:00	

MED & HD TRUCK / BUS

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.
00-98	TOP KICK 4x2, 6x4 C					
	6 cyl. 6.6L diesel	Sanden	NA	NA		
	8 cyl. 6.0L	Sanden	NA	NA		
	8 cyl. 7.0L	Sanden	NA	NA		
	8 cyl. 7.4L (B)	Sanden	NA	NA		
97-94	8 cyl. 7.4L (D)	Sanden	NA	NA		
	6 cyl. 6.6L diesel	Sanden	NA	NA		
	8 cyl. 6.0L	Sanden	NA	NA		
93	8 cyl. 7.0L	Sanden	NA	NA		
	6 cyl. 6.6L diesel	Sanden	NA	NA		
	8 cyl. 6.0L (L)	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
92-91		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 6.0L (B)	Sanden	NA	NA		
	8 cyl. 7.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 7.0L	Sanden	NA	NA		
	6 cyl. 6.6L diesel	Sanden	NA	NA		
	8 cyl. 6.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 7.0L	HDS	68-220	NA	4.9 dia. x .470	12v 2:00
		HDS new	69-220	NA	4.9 dia. x .470	12v 2:00
90-87	8 cyl. 5.7L	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 6.0L	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	8 cyl. 7.0L	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
86-83	All eng. w/ 4.93" diameter pulley	DA6	68-010	NA	4.9 dia. x .470	12v 2:00
	w/ 5.40" diameter pulley	DA6	68-017	NA	5.4 dia. x .470	12v 2:00
		HDS new	69-217	NA	5.4 dia. x .470	12v 2:00
82-70	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00

MACK TRUCK

-	ALL MODELS					
	All eng. w/ 12v coil	A6	NA	50-005	use 73-008S	use 73-017S
	w/ 5.62" diameter pulley	A6 new	51-16236A	NA	5.6 dia. x .470	12v 2:00
	w/ 24v coil	A6	NA	50-005	use 76-006S	use 73-018S
	w/ 5.00" diameter pulley	A6 new	51-16440A	NA	5.0 dia. x .470	24v 2:00
-	w/ 5.62" diameter pulley	A6	NA	50-005	use 76-008S	use 73-018S
		A6 new	51-16257A	NA	5.6 dia. x .470	24v 2:00
		SD508	74-012	74-011	5.2 dia. x 2 grv.	12v 12:00
		Tecumseh	NA	54-042		
		York	NA	54-037		
-	ALL MODELS					
	All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00
-		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00
-	All eng.	York	NA	54-037		
-	All eng.	Tecumseh	NA	54-042		

NAVISTAR

-	1000 SERIES					
	All eng.	Tecumseh	NA	54-042		
		York	NA	54-037		

YEAR	APPLICATION	COMP. Type	P/N w/Clutch	P/N w/o Clutch	CLUTCH Spec. Info.	COIL Terminal Pos.	
-	2000 SERIES All eng. Remfg. comp w/ remfg. clt. Remfg. comp. w/ new clutch	A6	50-014	50-006	5.6 dia. x .470	12v 10:00	
		A6	50-037	50-006	5.6 dia. x .470	12v 10:00	
		A6 new	51-16250A	NA	5.6 dia. x .470	12v 10:00	
		Tecumseh	NA	54-042			
		York	NA	54-037			
	-	3000 SERIES All eng.	Tecumseh	NA	54-039		
			York	NA	54-037		
	-	4000 SERIES All eng. rotolock tube O rotolock tube O	Tecumseh	NA	54-042		
			Tecumseh	NA	54-039		
			York	NA	54-037		
			York	NA	54-030		
-	5000 SERIES All eng. Remfg. comp w/ remfg. clt. Remfg. comp. w/ new clutch	A6	50-014	50-006	5.6 dia. x .470	12v 10:00	
		A6	50-037	50-006	5.6 dia. x .470	12v 10:00	
		A6 new	51-16250A	NA	5.6 dia. x .470	12v 10:00	
		Tecumseh	NA	54-042			
		York	NA	54-037			
-	8000 SERIES All eng. rotolock tube O rotolock tube O	Tecumseh	NA	54-042			
		Tecumseh	NA	54-039			
		York	NA	54-037			
		York	NA	54-030			
-	9000 SERIES All eng.	A6	50-007	50-006	5.0 dia. x .470	12v 2:00	
		A6 new	51-16243A	NA	5.0 dia. x .470	12v 2:00	
		Tecumseh	NA	54-042			
		York	NA	54-037			
PETERBUILT							
92-85 85-65	ALL MODELS All eng. All eng.	SD508	NA	74-011			
		Tecumseh York	NA NA	54-042 54-037			
WESTERN STAR							
-	ALL MODELS All eng.	SD508 Tecumseh York	74-010 NA NA	74-009 54-042 54-037	5.2 dia. x 2 grv.	12v 12:00	

MED & HD TRUCK / BUS