

PART	DIA	LGT	INLET	OUTLET	DESICCANT	SIGHT GLASS	SWITCH PORT	FUSE PLUG	SERVICE PORT	HPRV	BRKT
7-1103	2.75	7.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	NA	3/8-24	NA	NA	0
7-1105	3.00	7.00	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	1
7-1109	2.50	6.38	3/8 MF	3/8 MF	2.20 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-1112	2.50	8.00	5/16 MIO	5/16 MIO	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1113	2.50	8.00	3/8 MIO	5/16 MIO	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1119	2.75	7.50	5/16 MIO	5/16 MIO	4.40 ci	SIDE	3/8-24 FEMALE	NA	NA	NA	0
7-1120	3.00	6.50	3/8 MF	1/2 MF	4.40 ci	SIDE	3/8-24 FEMALE	3/8-24	NA	YES	1
7-1121	3.00	6.50	3/8 MF	3/8 MF	4.40 ci	SIDE	3/8-24 FEMALE	3/8-24	NA	NA	1
7-1122	3.00	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	M6	NA	1/4	NA	2
7-1123	3.00	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE M6	NA	NA	YES	2
7-1124	3.00	6.50	3/8 MF	1/2 MF	4.40 ci	SIDE	M6	3/8-24	1/4	NA	1
7-1125	3.00	6.50	1/2 MF	1/2 MF	4.40 ci	TOP	M6 X 1.00 THREAD	3/8-24	NA	NA	0
7-1126	3.00	6.50	3/8 MF	3/8 MF	4.40 ci	SIDE	M6	3/8-24	NA	NA	1
7-1127	3.00	6.50	1/2 MF	1/2 MF	4.40 ci	TOP	M6	3/8-24	NA	NA	1
7-1128	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	1
7-1129	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1130	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1131	2.50	8.00	M16 MIO	M16 MIO	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1133	2.50	8.00	M20 MIO	M16 MIO	4.40 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1134	2.50	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE	INTEGRAL	NA	NA	0
7-1135	2.75	7.63	3/8 MIO	M16, M10	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1136	2.50	10.50	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	1/8-27	NA	NA	1
7-1137	1.75	17.00	3/8 MIO	3/8 MIO	3.50 ci	SIDE	NA	1/8-27	NA	NA	0
7-1140	2.75	7.25	3/8 MF	3/8 MF	4.40 ci	TOP	1/2-20 FEMALE	1/2-20	NA	NA	0
7-1144	2.75	8.88	3/8 MF	3/8 MF	4.40 ci	TOP	NA	1/8-27	NA	NA	0
7-1147	3.00	6.63	1/2 MF	1/2 MF	4.40 ci	TOP	NA	3/8-24	1/4	NA	0
7-1149-P	2.50	8.00	5/16 MIO	5/16 MIO	2.20 ci	TOP	3/8-24 FEMALE	INTEGRAL	NA	NA	0
7-1150	2.50	7.25	3/8 MF	3/8 MF	3.50 ci	TOP	NA	1/8-27	NA	NA	1
7-1152	2.50	8.00	3/8 MIO	3/8 FIO	4.40 ci	TOP	3/8-24 FEMALE	INTEGRAL	NA	NA	0
7-1153	3.00	7.25	M16 MIO	M16 MIO	3.50 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	1
7-1156	2.75	10.25	M16 MIO	M16 MIO	3.50 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	1
7-1157	2.50	8.50	3/8 FOR	3/8 MIO	3.50 ci	NA	NA	1/8-27	NA	NA	1
7-1158	2.50	10.50	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	2
7-1159	2.50	8.00	5/16 MIO	5/16 MIO	2.20 ci	TOP	NA	INTEGRAL	NA	NA	0
7-1160	2.50	8.00	M20 MIO	M16 MIO	4.40 ci	TOP	NA	(2) 3/8-24	NA	NA	0
7-1161	2.50	9.00	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	1/8-27	NA	NA	2
7-1162	2.50	10.50	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	1/8-27	NA	NA	2
7-1163	2.50	9.50	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	1/8-27	NA	NA	1
7-1164	2.50	7.75	3/8 MF	3/8 MF	2.20 ci	TOP	NA	INTEGRAL	NA	NA	0
7-1165	2.75	7.25	3/8 MIO	3/8 MIO	4.40 ci	TOP	NA	1/8-27	NA	NA	0
7-1166	2.50	8.50	3/8 MIO	3/8 FOR	3.50 ci	NA	NA	1/8-27	NA	NA	1
7-1167	3.00	6.63	1/2 MIO	1/2 MIO	4.40 ci	TOP	3/8-24 FEMALE	1/8-27	1/4	NA	0
7-1168	2.50	8.00	M20 MIO	M16 MIO	4.40 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1169	2.75	6.75	M16 MIO	M16 MIO	3.50 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	1
7-1170	2.75	6.75	3/8 MF	3/8 MF	3.50 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	1
7-1171	2.75	7.00	M16 MIO	M16 MIO	4.40 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1173	2.50	8.38	3/8 MF	3/8 MF	2.20 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	NA	0
7-1174	2.50	7.63	M16 MIO	M16 MIO	3.50 ci	TOP	(3) 3/8-24 FEMALE	NA	NA	NA	0
7-1175	2.75	7.25	M16 MIO	M16 MIO	4.40 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	NA	0
7-1176	2.75	7.25	M16 MIO	M16 MIO	4.40 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	NA	0
7-1177	2.75	7.25	M16 MIO	M16 MIO	4.40 ci	TOP	NA	NA	NA	NA	0
7-1178	2.75	7.25	M16 MIO	M16 MIO	4.40 ci	TOP	NA	NA	NA	NA	0
7-1180	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	NA	1/4	NA	1
7-1181	3.00	7.00	3/8 MIO	3/8 FIO	4.40 ci	TOP	(2) 3/8-24 FEMALE	1/8-27	NA	NA	1
7-1182	2.50	8.00	3/8 MIO	1/2-20 QD	3.50 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	1
7-1186	2.50	8.00	3/8 MIO	3/8 MIO	6.60 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0

ILLUSTRATION SECTION

Drier Dimension Table



PART	DIA	LGT	INLET	OUTLET	DESICCANT	SIGHT GLASS	SWITCH PORT	FUSE PLUG	SERVICE PORT	HPRV	BRKT
7-1199	2.50	8.00	3/8 MIO	3/8 FIO	4.40 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1200	2.38	6.75	PAD	PAD	2.50 ci	NA	NA	NA	NA	NA	0
7-1218	2.38	6.75	PAD	PAD	2.50 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	NA	0
7-1219	2.38	6.75	PAD	PAD	2.50 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	NA	0
7-1221	3.50	10.00	5/8 MSL	5/8 MSL	100 GRAM	NA	NA	NA	(2) 1/4	NA	0
7-1222	3.50	10.00	5/8 MSL	5/8 MSL	100 GRAM	NA	NA	NA	(2) 1/4	NA	0
7-1224	2.38	7.50	PAD	PAD	2.50 ci	NA	NA	NA	NA	NA	0
7-1225	2.38	7.50	PAD	PAD	2.50 ci	NA	NA	NA	NA	NA	0
7-1226	2.38	7.50	PAD	PAD	2.50 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-1227	2.38	6.50	PAD	PAD	2.50 ci	NA	NA	NA	NA	NA	0
7-1228	2.38	5.85	PAD	PAD	2.50 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-1234	3.50	8.00	M27 FIO	M27 MIO	100 GRAM	NA	(2) M12 MALE	NA	NA	NA	0
7-1235	3.50	8.00	M27 FIO	M27 MIO	100 GRAM	NA	(2) M12 MALE	NA	NA	NA	0
7-1237	2.38	7.50	PAD	PAD	2.50 ci	NA	NA	NA	NA	NA	0
7-1249	2.38	6.75	PAD	PAD	2.50 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-1251	2.38	6.50	PAD	PAD	2.50 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-1253	2.95	6.89	3/8 FIO	3/8 FIO	4.40 ci	TOP	3/8-24 FEMALE	NA	NA	YES	0
7-1255	3.50	8.00	5/8 MIO	5/8 MSL	100 GRAM	NA	(2) M12 MALE	NA	NA	NA	0
7-1256	4.00	6.00	PAD	PAD	4.40 ci	NA	NA	NA	NA	NA	2
7-1257	2.38	7.00	PAD	PAD	2.50 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-1260	2.38	6.00	PAD	PAD	2.50 ci	NA	3/8-24 FEMALE	NA	NA	NA	0
7-1270	2.38	8.00	M16 MF	M16 MF	2.20 ci	NA	NA	NA	NA	NA	1
7-1271	2.38	8.00	PAD	PAD	2.50 ci	NA	NA	NA	NA	NA	0
7-1272	2.38	6.00	PAD	PAD	2.50 ci	NA	3/8-24 SWITCH	NA	NA	NA	1
7-1274	2.38	6.00	PAD	PAD	2.50 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	NA	0
7-1277	2.95	7.09	3/8 FIO	1/2 FIO	4.40 ci	NA	NA	NA	NA	NA	2
7-1291	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-1298	2.38	7.50	PAD	PAD	2.50 ci	NA	NA	NA	NA	NA	0
7-1299	3.50	8.00	5/8 MIO	5/8 MIO	100 GRAM	NA	(2) M12 MALE	NA	NA	NA	0
7-1300	2.75	7.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-1301	2.50	8.00	M16 MIO	M16 MIO	4.40 ci	NA	(2) 3/8-24 FEMALE	NA	NA	NA	2
7-1302	2.75	7.50	5/16 MIO	5/16 MIO	4.40 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-1303	2.75	7.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1304	2.50	7.00	M16 MIO	M16 MIO	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-1305	3.00	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE M6	NA	NA	YES	2
7-1306	3.00	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	YES	2
7-1307	3.00	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	YES	2
7-1308	3.00	6.50	3/8 FOR	3/8 MIO	4.40 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	YES	1
7-1309	3.00	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24, 1/8-27	3/8-24	1/4	NA	2
7-1310	3.00	6.50	3/8 MF	1/2 MF	4.40 ci	SIDE	M6	3/8-24	NA	NA	1
7-1311	2.50	8.25	M16 FOR	M16 MIO	2.20 ci	NA	NA	NA	NA	NA	1
7-1312	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	1
7-1314	3.00	6.50	1/2 MF	1/2 MF	4.40 ci	TOP	NA	3/8-24	1/4	NA	1
7-1315	3.00	6.50	1/2 MIO	1/2 MIO	4.40 ci	NA	NA	3/8-24	1/4	NA	1
7-1317	2.50	6.00	5/16 MIO	5/16 MIO	2.20 ci	NA	NA	NA	NA	NA	0
7-1318	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	NA	NA	YES	0
7-1321	3.00	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	YES	2
7-1323	3.00	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE	NA	NA	YES	2
7-1324	3.00	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE	NA	1/4	NA	2
7-1325	3.00	6.50	1/2 MIO	1/2 MIO	4.40 ci	TOP	NA	3/8-24	1/4	NA	1
7-1328	2.50	5.13	M16 MIO	M16 MIO	2.20 ci	NA	NA	NA	NA	NA	1
7-1329	2.50	7.50	M16 MIO	M16 MIO	2.20 ci	NA	NA	NA	NA	NA	1
7-1330	3.00	6.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24, 1/8-27	3/8-24	1/4	NA	3
7-1331	2.50	7.50	5/16 MIO	5/16 MIO	2.20 ci	NA	NA	3/8-24	NA	NA	0
7-1346	3.00	7.68	3/8 FIO	3/8 FIO	4.40 ci	TOP	3/8-24 FEMALE	NA	NA	NA	2
7-1350	2.63	7.52	M16 MIO	M16 MIO	4.40 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0

ILLUSTRATION SECTION

PART	DIA	LGT	INLET	OUTLET	DESICCANT	SIGHT GLASS	SWITCH PORT	FUSE PLUG	SERVICE PORT	HPRV	BRKT
7-1355	2.63	7.48	5/16 MIO	5/16 MIO	4.40 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	NA	0
7-1357	2.75	7.25	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	NA	NA	NA	1
7-1358	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	NA	NA	NA	1
7-1362	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	NA	1/8-27	NA	NA	1
7-1363	2.63	8.00	3/8 MIO	3/8 FIO	2.20 ci	TOP	3/8-24 SWITCH	1/8-27	NA	NA	1
7-1367	3.00	10.25	3/8 MIO	3/8 FOR	2.20 ci	SIDE	3/8-24 FEMALE	NA	NA	NA	1
7-1368	3.00	7.00	3/8 MIO	3/8 FIO	4.40 ci	TOP	(2) 3/8-24 FEMALE	NA	NA	NA	1
7-1369	2.91	6.61	3/8 MIO	3/8 MIO	4.40 ci	SIDE	3/8-24 FEMALE	NA	NA	NA	1
7-1370	2.91	6.85	3/8 FIO	3/8 MIO	4.40 ci	NA	3/8-24 FEMALE	NA	NA	NA	2
7-1371	3.00	5.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE	NA	NA	NA	1
7-1375	2.91	12.20	1/2 FOR	3/8 MIO	4.40 ci	TOP	(2) 3/8-24 FEMALE	NA	7/16-20 MALE	NA	1
7-1377	2.63	10.00	3/8 MIO	3/8 MIO	4.40 ci	TOP	NA	NA	NA	YES	0
7-1378	3.75	7.32	PAD	PAD	4.40 ci	NA	3/8-24 FEMALE	NA	7/16-20 MALE	YES	2
7-1379	2.92	6.50	3/8 MIO	3/8 FIO	4.40 ci	TOP	NA	NA	NA	NA	2
7-1380	2.50	8.25	3/8 MIO	3/8 FIO	4.40 ci	TOP	3/8-24 SWITCH	NA	NA	NA	1
7-1381	3.75	7.32	PAD	PAD	4.40 ci	NA	(4) 3/8-24 FEMALE	NA	NA	NA	3
7-1382	1.75	20.50	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	0
7-1701	2.38	8.00	M16 MF	M16 MF	2.50 ci	NA	NA	NA	NA	NA	1
7-1702	2.95	6.50	3/8 FIO	3/8 FIO	4.40 ci	NA	(2) 3/8-24 FEMALE	NA	NA	YES	2
7-1703	2.95	7.50	1/2 FIO	3/8 FIO	4.40 ci	NA	7/16-20 MALE	NA	NA	NA	0
7-1704	3.50	12.00	5/8 FSL	5/8 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-1705	2.38	7.50	16mm MIO	16mm MIO	3.50 ci	NA	NA	NA	NA	NA	0
7-1706	3.50	8.00	28mm FIO	28mm MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-1708	3.50	12.50	1/2 FSL	1/2 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-1709	2.38	6.00	Pad	Pad	2.50 ci	NA	3/8-24 FEMALE	NA	NA	NA	0
7-2176	2.50	14.00	3/8 FOR	1/2-20 QD	3.50 ci	NA	NA	1/8-27	NA	NA	1
7-2180	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	NA	NA	INTEGRAL	NA	NA	1
7-2185	2.50	18.00	3/8 FOR	3/8 MIO	3.50 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	1
7-2186	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	NA	NA	INTEGRAL	NA	NA	1
7-3153	2.75	9.63	3/8 MIO	3/8 FIO	4.40 ci	TOP	3/8-24 FEMALE	INTEGRAL	NA	NA	0
7-3160	2.50	5.13	3/8 MIO	3/8 FIO	2.20 ci	TOP	3/8-24 FEMALE	INTEGRAL	NA	NA	0
7-3161	2.50	5.00	SPC BLK	SPC BLK	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	0
7-3162	2.50	5.00	SPC BLK	SPC BLK	2.20 ci	TOP	NA	3/8-24	NA	NA	1
7-3163	2.50	6.00	SPC BLK	SPC BLK	2.20 ci	TOP	NA	3/8-24	NA	NA	1
7-3164	2.50	6.00	SPC BLK	SPC BLK	2.20 ci	TOP	NA	3/8-24	NA	NA	1
7-3165	2.50	5.00	SPC BLK	SPC BLK	2.20 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	1
7-3166	2.50	6.00	SPC BLK	SPC BLK	2.20 ci	TOP	NA	3/8-24	NA	NA	0
7-3167	2.50	8.00	3/8 MF	3/8 MF	2.20 ci	TOP	3/8-24 FEMALE	NA	1/4	NA	0
7-3168	2.50	5.00	SPC BLK	SPC BLK	2.20 ci	TOP	NA	3/8-24	NA	NA	1
7-3169	2.50	6.00	SPC BLK	SPC BLK	2.20 ci	TOP	NA	NA	NA	NA	1
7-3173	2.50	15.00	3/8 FOR	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE	3/8-24	NA	NA	1
7-3174	3.00	7.00	3/8 MIO	1/2 20 QD	3.50 ci	TOP	3/8-24 FEMALE	NA	NA	YES	1
7-3175	2.50	6.00	SPC BLK	SPC BLK	2.20 ci	TOP	NA	NA	NA	NA	1
7-3176	2.50	6.00	SPC BLK	SPC BLK	2.20 ci	TOP	NA	NA	NA	NA	1
7-3178	2.50	8.00	3/8 MIO	1/2 20 QD	4.40 ci	TOP	3/8-24 FEMALE	NA	NA	YES	1
7-3179	2.50	8.00	3/8 MIO	3/8 MIO	4.40 ci	TOP	M10 MALE	NA	NA	YES	0
7-3180	3.50	12.00	3/4 BARB	5/8 MIO	100 GRAM	NA	NA	NA	1/4	NA	0
7-3182	2.50	6.93	3/8 MIO	3/8 FIO	4.40 ci	NA	NA	NA	M16 R134a	NA	0
7-3183	2.50	5.00	3/8 MIO	3/8 FIO	2.20 ci	NA	NA	NA	NA	NA	1
7-3184	2.50	6.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	NA	NA	NA	NA	1
7-3185	2.50	8.75	3/8 FOR	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	1
7-3186	2.50	9.49	#6 FSL	3/8 FOR	4.40 ci	NA	NA	NA	NA	NA	1
7-3187	3.00	5.50	3/8 MIO	1/2-20 QD	2.20 ci	TOP	3/8-24 FEMALE	NA	NA	YES	1

ILLUSTRATION SECTION

Drier Dimension Table



PART	DIA	LGT	INLET	OUTLET	DESICCANT	SIGHT GLASS	SWITCH PORT	FUSE PLUG	SERVICE PORT	HPRV	BRKT
7-3188	2.38	6.75	PAD	PAD	2.50 ci	NA	NA	NA	NA	NA	1
7-3189	3.50	10.00	10 MSL	10 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-3190	3.50	10.00	10 MSL	10 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-3193	3.00	5.50	3/8 MIO	3/8 MIO	4.40 ci	TOP	M10 MALE	NA	NA	YES	1
7-3195	3.50	9.10	5/8 FSL	5/8 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-3199	3.50	15.00	1/2 MSL	1/2 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-3201	3.50	10.00	1/2 MSL	Pad	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-3203	3.50	11.00	1/2 MSL	1/2 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-4100	2.75	11.00	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	1/8-27	NA	NA	2
7-4101	2.00	12.00	3/8 FOR	3/8 MIO	3.50 ci	NA	NA	1/8-27	NA	NA	1
7-4102	2.00	12.00	3/8 FOR	3/8 MIO	3.50 ci	NA	NA	1/8-27	NA	NA	1
7-4105	2.50	10.75	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	1/8-27	NA	NA	1
7-4107	2.50	10.50	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	2
7-4113	2.50	9.75	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	2
7-4118	2.00	11.00	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	1
7-4123	2.50	10.00	3/8 MOR	3/8 MIO	3.50 ci	NA	NA	NA	1/4	NA	1
7-4127	2.50	10.00	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	1
7-4128	2.50	9.50	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	1
7-4129	2.50	9.25	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	2
7-4130	2.50	8.50	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	1
7-4131	3.50	10.00	3/4 MIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-4132	2.50	8.00	5/16 BARB	5/16 BARB	2.20 ci	TOP	NA	INTEGRAL	NA	NA	0
7-4134	2.50	9.63	3/8 MIO	3/8 MIO	3.50 ci	NA	NA	NA	NA	NA	0
7-4135	2.50	8.00	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE	NA	NA	NA	1
7-4173	2.00	11.00	3/8 FF	3/8 MF	3.50 ci	NA	NA	1/8-27	NA	NA	0
7-4174	2.00	12.00	3/8 FF	3/8 MF	3.50 ci	NA	NA	1/8-27	NA	NA	1
7-4183	1.75	19.75	3/8 MF	3/8 MF	3.50 ci	SIDE	NA	1/8-27	NA	NA	0
7-4193	2.00	14.00	3/8 FOR	1/2-20 QD	3.50 ci	NA	NA	1/8-27	NA	NA	1
7-5000	3.50	8.00	3/4 FIO	3/4 FIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5020	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5026	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5027	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5028	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5030	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5031	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5032	3.50	9.10	3/4 DOR	3/4 DOR	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5033	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5035	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5037	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5039	3.50	9.10	3/4 DOR	3/4 DOR	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5041	3.50	8.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5042	3.50	9.10	3/4 DOR	3/4 DOR	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5043	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5044	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5045	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5046	3.50	8.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5047	3.50	8.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5048	3.50	9.10	3/4 DOR	3/4 DOR	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5049	3.50	9.00	3/4 MIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	7/16-20 MALE	NA	0
7-5050	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5051	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5052	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5054	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5057	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5061	3.50	8.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0

ILLUSTRATION SECTION

PART	DIA	LGT	INLET	OUTLET	DESICCANT	SIGHT GLASS	SWITCH PORT	FUSE PLUG	SERVICE PORT	HPRV	BRKT
7-5062	3.50	8.10	3/4 DOR	3/4 DOR	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5063	3.50	8.10	3/4 FIO	3/4 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5064	3.50	8.10	3/4 FIO	3/4 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5066	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5069	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5070	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5071	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5074	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5078	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5079	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5081	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5084	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5085	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5086	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5088	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5094	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5095	3.50	8.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5096	3.50	9.10	3/4 DOR	3/4 DOR	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5100	3.50	8.50	3/4 FIO	3/4 FIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5102	3.00	7.50	5/16 BL	5/16 MIO	3.50 ci	NA	NA	NA	NA	NA	0
7-5103	3.00	6.25	3/8 MIO	3/8 MIO	8.80 ci	NA	NA	NA	NA	NA	0
7-5104	3.00	6.25	M20 MIO	M20 MIO	8.80 ci	NA	NA	NA	NA	NA	0
7-5108	2.50	6.50	3/8 MIO	1/2 MIO	2.20 ci	NA	NA	NA	NA	NA	0
7-5111	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	NA	3/16 MALE	NA	0
7-5138	2.50	11.38	5/16 FIO	3/8 FIO	4.40 ci	TOP	NA	NA	NA	NA	0
7-5139	3.00	8.63	5/16 FIO	3/8 FIO	4.40 ci	TOP	NA	NA	NA	NA	0
7-5144	2.50	7.50	3/8 MF	3/8 MF	4.40 ci	TOP	NA	NA	(2) 7/16-20 MALE	NA	0
7-5202	3.50	8.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5203	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5205	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5206	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5207	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5208	3.50	9.00	3/4 MIO	3/4 FIO	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5209	3.50	8.10	3/4 DOR	3/4 DOR	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5210	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5211	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5212	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5213	3.50	9.00	3/4 MIO	3/4 FIO	100 GRAM	NA	7/16-20 MALE	NA	7/16-20 MALE	NA	0
7-5216	3.50	8.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5217	3.50	8.10	M27 FIO	M27 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5218	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5219	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5221	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5222	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5224	3.50	8.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5225	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	NA	NA	0

ILLUSTRATION SECTION

Drier Dimension Table

PART	DIA	LGT	INLET	OUTLET	DESICCANT	SIGHT GLASS	SWITCH PORT	FUSE PLUG	SERVICE PORT	HPRV	BRKT
7-5226	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5227	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5230	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5231	3.50	8.10	M27 FIO	M27 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5232	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5233	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5234	3.50	9.10	M27 MDOR	M27 MDOR	100 GRAM	NA	NA	NA	NA	NA	0
7-5235	3.50	8.10	M27 MDOR	M27 MDOR	100 GRAM	NA	NA	NA	NA	NA	0
7-5236	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5237	3.50	8.10	M27 MDOR	M27 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5238	3.00	6.25	M20 MIO	M20 MIO	8.80 ci	NA	NA	NA	NA	NA	0
7-5241	3.50	8.10	M27 MDOR	M27 MDOR	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5242	3.50	8.10	M27 MDOR	M27 MDOR	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5243	3.50	9.10	M27 FIO	M27 MDOR	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5244	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5245	3.50	9.10	3/4 FOR	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5246	3.50	8.10	3/4 FOR	3/4 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5248	3.50	8.10	M27 FOR	M27 MDOR	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5249	3.50	8.10	M27 FIO	M27 MIO	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5250	3.50	9.10	PAD	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5253	3.50	9.10	M27 FOR	M27 MIO	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5255	3.50	8.10	PAD	PAD	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5256	3.50	8.10	PAD	PAD	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5257	3.50	9.10	M27 FOR	M27 MIO	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5258	3.50	8.10	M27 MIO	PAD	100 GRAM	NA	NA	NA	NA	NA	0
7-5259	3.50	8.10	M27 MDOR	PAD	100 GRAM	NA	NA	NA	NA	NA	0
7-5261	3.50	8.10	M27 FOR	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5262	3.50	8.10	M27 MIO	PAD	100 GRAM	NA	NA	NA	NA	NA	0
7-5263	3.50	8.10	M27 MIO	PAD	100 GRAM	NA	NA	NA	NA	NA	0
7-5264	3.50	8.10	PAD	PAD	100 GRAM	NA	NA	NA	NA	NA	0
7-5275	3.50	9.10	3/4 FOR	3/4 FOR	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5276	3.50	12.00	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5280	3.50	11.25	(2) Pad	Pad	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5301	3.50	8.25	3/4 FIO SW	3/4 MIO	100 GRAM	NA	(3) 7/16-20 MALE	NA	NA	NA	0
7-6150	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	SIDE	NA	NA	7/16-20 MALE	NA	0
7-6165	2.50	8.00	3/8 MF	3/8 MF	2.20 ci	TOP	NA	1/8 27	3/8-24 MALE	NA	0
7-6166	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	NA	7/16-20 MALE	NA	0
7-6168	2.50	8.00	3/8 BARB	3/8 BARB	4.40 ci	TOP	3/8-24 FEMALE	NA	7/16-20 MALE	NA	0
7-6174	2.50	6.31	3/8 BARB	3/8 BARB	2.20 ci	NA	NA	NA	NA	NA	0
7-6175	2.50	6.10	1/2 BARB	1/2 BARB	2.20 ci	NA	NA	NA	NA	NA	0
7-6176	2.50	6.31	5/8 BARB	5/8 BARB	2.20 ci	NA	NA	NA	NA	NA	0
7-6177	2.50	6.31	3/4 BARB	3/4 BARB	2.20 ci	NA	NA	NA	NA	NA	0

ILLUSTRATION SECTION

PART	DIA	LGT	INLET	OUTLET	DESICCANT	SIGHT GLASS	SWITCH PORT	FUSE PLUG	SERVICE PORT	HPRV	BRKT
7-5226	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5227	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5230	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5231	3.50	8.10	M27 FIO	M27 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5232	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-5233	3.50	9.10	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5234	3.50	9.10	M27 MDOR	M27 MDOR	100 GRAM	NA	NA	NA	NA	NA	0
7-5235	3.50	8.10	M27 MDOR	M27 MDOR	100 GRAM	NA	NA	NA	NA	NA	0
7-5236	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5237	3.50	8.10	M27 MDOR	M27 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5238	3.00	6.25	M20 MIO	M20 MIO	8.80 ci	NA	NA	NA	NA	NA	0
7-5241	3.50	8.10	M27 MDOR	M27 MDOR	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5242	3.50	8.10	M27 MDOR	M27 MDOR	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5243	3.50	9.10	M27 FIO	M27 MDOR	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5244	3.50	9.10	M27 FIO	M27 MIO	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5245	3.50	9.10	3/4 FOR	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5246	3.50	8.10	3/4 FOR	3/4 MIO	100 GRAM	NA	NA	NA	NA	NA	0
7-5248	3.50	8.10	M27 FOR	M27 MDOR	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5249	3.50	8.10	M27 FIO	M27 MIO	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5250	3.50	9.10	PAD	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5253	3.50	9.10	M27 FOR	M27 MIO	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5255	3.50	8.10	PAD	PAD	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5256	3.50	8.10	PAD	PAD	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5257	3.50	9.10	M27 FOR	M27 MIO	100 GRAM	NA	NA	NA	M13 R134a	NA	0
7-5258	3.50	8.10	M27 MIO	PAD	100 GRAM	NA	NA	NA	NA	NA	0
7-5259	3.50	8.10	M27 MDOR	PAD	100 GRAM	NA	NA	NA	NA	NA	0
7-5261	3.50	8.10	M27 FOR	M27 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-5262	3.50	8.10	M27 MIO	PAD	100 GRAM	NA	NA	NA	NA	NA	0
7-5263	3.50	8.10	M27 MIO	PAD	100 GRAM	NA	NA	NA	NA	NA	0
7-5264	3.50	8.10	PAD	PAD	100 GRAM	NA	NA	NA	NA	NA	0
7-5275	3.50	9.10	3/4 FOR	3/4 FOR	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5276	3.50	12.00	3/4 FIO	3/4 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-5280	3.50	11.25	(2) Pad	Pad	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-5301	3.50	8.25	3/4 FIO SW	3/4 MIO	100 GRAM	NA	(3) 7/16-20 MALE	NA	NA	NA	0
7-6150	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	SIDE	NA	NA	7/16-20 MALE	NA	0
7-6165	2.50	8.00	3/8 MF	3/8 MF	2.20 ci	TOP	NA	1/8 27	3/8-24 MALE	NA	0
7-6166	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	NA	7/16-20 MALE	NA	0
7-6168	2.50	8.00	3/8 BARB	3/8 BARB	4.40 ci	TOP	3/8-24 FEMALE	NA	7/16-20 MALE	NA	0
7-6174	2.50	6.31	3/8 BARB	3/8 BARB	2.20 ci	NA	NA	NA	NA	NA	0
7-6175	2.50	6.10	1/2 BARB	1/2 BARB	2.20 ci	NA	NA	NA	NA	NA	0
7-6176	2.50	6.31	5/8 BARB	5/8 BARB	2.20 ci	NA	NA	NA	NA	NA	0
7-6177	2.50	6.31	3/4 BARB	3/4 BARB	2.20 ci	NA	NA	NA	NA	NA	0

Drier Dimension Table



PART	DIA	LGT	INLET	OUTLET	DESICCANT	SIGHT GLASS	SWITCH PORT	FUSE PLUG	SERVICE PORT	HPRV	BRKT
7-7217	3.50	12.38	5/8 FSL	5/8 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7218	3.50	10.00	3/4 FSL	5/8 MSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7220	3.50	10.50	5/8 FSL	5/8 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7221	3.50	10.50	5/8 FSL	5/8 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7222	3.50	10.00	5/8 FSL	5/8 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7223	3.50	9.00	3/4 MSL	3/4 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7224	3.50	9.00	3/4 MSL	5/8, 3/4 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7225	3.50	11.00	5/8 MIO	3/4 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7226	3.50	11.00	5/8 MSL	5/8 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7227	3.50	11.00	5/8 MIO	5/8 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7228	3.50	8.10	5/8 MIO	5/8 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7229	3.50	10.63	3/4 MSL	3/4 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7230	3.50	8.10	5/8 MSL	5/8 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-7238	3.50	11.20	5/8 MIO	3/4 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7253	3.50	11.00	5/8 MSL	3/4 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7258	3.50	11.00	3/4 MSL	3/4 FSL	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-7264	3.50	11.00	5/8 MSL	5/8 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7265	3.50	11.00	5/8 MIO	3/4 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134A	NA	0
7-7266	3.50	11.00	5/8 MIO	5/8 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134A	NA	0
7-7267	3.50	11.00	3/4 MSL	1/2 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7268	3.50	12.00	3/4 MSL	3/4 MSL	100 GRAM	NA	M12 MALE	NA	M13 R134A	NA	0
7-7271	3.50	9.25	1/2 MIO	3/4 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134A	NA	0
7-7272	3.50	14.00	1/2 FSL	1/2 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7275	3.50	12.00	3/4 MSL	3/4 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-8131	2.50	6.63	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-8171	3.00	7.50	1/2 FIO	3/8 FIO	3.50 ci	TOP	NA	NA	NA	NA	1
7-9103	2.50	5.98	3/8 MF	3/8 MF	2.20 ci	TOP	NA	INTEGRAL	NA	NA	0
7-9106	3.00	6.00	3/8 MF	3/8 MF	4.40 ci	TOP	NA	INTEGRAL	NA	NA	0
7-9107	4.00	6.88	3/8 MF	3/8 MF	9.00 ci	TOP	NA	INTEGRAL	NA	NA	0
7-9110	4.00	6.50	3/8 MF	3/8 MF	3.50 ci	SIDE	NA	NA	NA	NA	0
7-9111	4.00	7.75	3/8 FIO	3/8 MIO	9.00 ci	(2) SIDE	NA	1/8-27	NA	NA	0
7-9113	4.00	6.50	3/8 MF	3/8 MF	3.50 ci	TOP	NA	NA	NA	NA	0
7-9114	4.00	7.13	3/8 MF	3/8 MF	100 GRAM	SIDE	NA	INTEGRAL	NA	NA	0
7-9115	4.00	7.50	3/8 MF	3/8 MF	3.50 ci	TOP	NA	1/8-27	3/8-24	NA	0
7-9117	4.00	8.00	7/8 QD	3/8 MIO	12.50 ci	NA	NA	1/8-27	NA	NA	1
7-9118	2.50	9.63	3/8 MF	3/8 MF	4.40 ci	NA	NA	(2) 3/8-24	NA	NA	2
7-9119	4.00	6.75	3/8 MF	3/8 MF	3.50 ci	TOP	NA	1/8-27	NA	NA	0
7-9120	2.75	9.50	3/8 MF	3/8 MF	4.40 ci	TOP	3/8-24 FEMALE	INTEGRAL	NA	NA	0
7-9121	2.50	8.00	3/8 MF	3/8 MF	4.40 ci	SIDE	NA	NA	7/16-20 MALE	NA	0
7-9123	2.50	8.00	#6 BARB	#6 BARB	3.50 ci	TOP	NA	1/8-27	NA	NA	0
7-9125	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	NA	NA	NA	NA	0
7-9127	3.00	6.33	3/8 MIO	3/8 MIO	13.20 ci	TOP	3/8-24 FEMALE	1/8-27	NA	NA	0
7-9130	4.00	10.00	3/8 FOR	3/8 FOR	100 GRAM	NA	NA	NA	NA	NA	0

ILLUSTRATION SECTION

PART	DIA	LGT	INLET	OUTLET	DESICCANT	SIGHT GLASS	SWITCH PORT	FUSE PLUG	SERVICE PORT	HPRV	BRKT
7-7217	3.50	12.38	5/8 FSL	5/8 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7218	3.50	10.00	3/4 FSL	5/8 MSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7220	3.50	10.50	5/8 FSL	5/8 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7221	3.50	10.50	5/8 FSL	5/8 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7222	3.50	10.00	5/8 FSL	5/8 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7223	3.50	9.00	3/4 MSL	3/4 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7224	3.50	9.00	3/4 MSL	5/8, 3/4 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7225	3.50	11.00	5/8 MIO	3/4 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7226	3.50	11.00	5/8 MSL	5/8 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7227	3.50	11.00	5/8 MIO	5/8 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7228	3.50	8.10	5/8 MIO	5/8 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7229	3.50	10.63	3/4 MSL	3/4 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7230	3.50	8.10	5/8 MSL	5/8 MIO	100 GRAM	NA	(2) 7/16-20 MALE	NA	NA	NA	0
7-7238	3.50	11.20	5/8 MIO	3/4 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134a	NA	0
7-7253	3.50	11.00	5/8 MSL	3/4 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7258	3.50	11.00	3/4 MSL	3/4 FSL	100 GRAM	NA	7/16-20 MALE	NA	NA	NA	0
7-7264	3.50	11.00	5/8 MSL	5/8 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7265	3.50	11.00	5/8 MIO	3/4 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134A	NA	0
7-7266	3.50	11.00	5/8 MIO	5/8 MIO	100 GRAM	NA	M12 MALE	NA	M13 R134A	NA	0
7-7267	3.50	11.00	3/4 MSL	1/2 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7268	3.50	12.00	3/4 MSL	3/4 MSL	100 GRAM	NA	M12 MALE	NA	M13 R134A	NA	0
7-7271	3.50	9.25	1/2 MIO	3/4 FSL	100 GRAM	NA	M12 MALE	NA	M13 R134A	NA	0
7-7272	3.50	14.00	1/2 FSL	1/2 FSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-7275	3.50	12.00	3/4 MSL	3/4 MSL	100 GRAM	NA	M12 MALE	NA	NA	NA	0
7-8131	2.50	6.63	3/8 MIO	3/8 MIO	2.20 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-8171	3.00	7.50	1/2 FIO	3/8 FIO	3.50 ci	TOP	NA	NA	NA	NA	1
7-9103	2.50	5.98	3/8 MF	3/8 MF	2.20 ci	TOP	NA	INTEGRAL	NA	NA	0
7-9106	3.00	6.00	3/8 MF	3/8 MF	4.40 ci	TOP	NA	INTEGRAL	NA	NA	0
7-9107	4.00	6.88	3/8 MF	3/8 MF	9.00 ci	TOP	NA	INTEGRAL	NA	NA	0
7-9110	4.00	6.50	3/8 MF	3/8 MF	3.50 ci	SIDE	NA	NA	NA	NA	0
7-9111	4.00	7.75	3/8 FIO	3/8 MIO	9.00 ci	(2) SIDE	NA	1/8-27	NA	NA	0
7-9113	4.00	6.50	3/8 MF	3/8 MF	3.50 ci	TOP	NA	NA	NA	NA	0
7-9114	4.00	7.13	3/8 MF	3/8 MF	100 GRAM	SIDE	NA	INTEGRAL	NA	NA	0
7-9115	4.00	7.50	3/8 MF	3/8 MF	3.50 ci	TOP	NA	1/8-27	3/8-24	NA	0
7-9117	4.00	8.00	7/8 QD	3/8 MIO	12.50 ci	NA	NA	1/8-27	NA	NA	1
7-9118	2.50	9.63	3/8 MF	3/8 MF	4.40 ci	NA	NA	(2) 3/8-24	NA	NA	2
7-9119	4.00	6.75	3/8 MF	3/8 MF	3.50 ci	TOP	NA	1/8-27	NA	NA	0
7-9120	2.75	9.50	3/8 MF	3/8 MF	4.40 ci	TOP	3/8-24 FEMALE	INTEGRAL	NA	NA	0
7-9121	2.50	8.00	3/8 MF	3/8 MF	4.40 ci	SIDE	NA	NA	7/16-20 MALE	NA	0
7-9123	2.50	8.00	#6 BARB	#6 BARB	3.50 ci	TOP	NA	1/8-27	NA	NA	0
7-9125	2.50	8.00	3/8 MIO	3/8 MIO	2.20 ci	TOP	NA	NA	NA	NA	0
7-9127	3.00	6.33	3/8 MIO	3/8 MIO	13.20 ci	TOP	3/8-24 FEMALE	1/8-27	NA	NA	0
7-9130	4.00	10.00	3/8 FOR	3/8 FOR	100 GRAM	NA	NA	NA	NA	NA	0

Drier Dimension Table

PART	DIA	LGT	INLET	OUTLET	DESICCANT	SIGHT GLASS	SWITCH PORT	FUSE PLUG	SERVICE PORT	HPRV	BRKT
7-9231	2.75	10.00	3/8 MIO	3/8 MIO	15.00 ci	TOP	NA	NA	7/16-20 MALE	YES	0
7-9233	2.75	10.00	3/8 MIO	3/8 MIO	4.40 ci	SIDE	3/8-24 FEMALE	NA	NA	YES	0
7-9234	2.75	10.00	3/8 MIO	3/8 MIO	4.40 ci	TOP	3/8-24 FEMALE	NA	NA	YES	0
7-9235	3.00	9.00	7/16 FIO	3/8 FIO	8.80 ci	TOP	NA	NA	M13 R134A	YES	0
7-9252	4.00	6.00	3/8 FIO	3/8 MIO	3.50 ci	TOP	NA	NA	NA	YES	0
7-9261	3.00	8.75	3/8 MIO	3/8 MIO	8.80 ci	MOIST IND.	M10 MALE	NA	NA	YES	0
7-9263	3.00	9.00	3/8 MIO	3/8 FIO	8.80 ci	MOIST IND.	NA	NA	(2) 7/16-20 MALE	YES	0
7-9272	3.00	9.00	3/8 MIO	3/8 FIO	8.80 ci	MOIST IND.	NA	NA	NA	NA	0
7-9273	3.00	9.00	3/8 MIO	3/8 MIO	8.80 ci	TOP	NA	NA	7/16-20 MALE	YES	0
7-9275	3.00	8.50	3/8 MF	3/8 MF	8.80 ci	NA	3/8-24 SWITCH	NA	NA	YES	0
7-9276	4.00	7.63	3/8 MIO	3/8 MIO	3.50 ci	TOP	3/8-24 FEMALE	NA	NA	NA	0
7-9277	3.00	8.00	3/8 MIO	3/8 MIO	8.80 ci	MOIST IND.	NA	NA	NA	YES	0
7-9278	3.00	9.50	3/8 MIO	3/8 MIO	8.80 ci	TOP	NA	NA	NA	YES	0
7-9279	3.00	9.00	QD	QD	8.80 ci	MOIST IND.	NA	NA	7/16-20 MALE	NA	0
7-9280	3.00	9.00	3/8 FIO	3/8 MIO	8.80 ci	MOIST IND.	(2) M10 MALE	NA	NA	NA	0
7-9281	3.00	7.00	QD	QD	8.80 ci	MOIST IND.	(2) M10 MALE	NA	NA	NA	0
7-9282	3.00	14.00	3/8 FSL	3/8 FSL	8.80 ci	MOIST IND.	NA	NA	NA	NA	0
7-9284	3.00	7.50	3/8 MIO	3/8 MIO	8.80 ci	NA	NA	NA	(2) 7/16-20 MALE	NA	0
7-9285	2.50	7.75	QD	QD	8.80 ci	SIDE	NA	NA	NA	NA	0
7-9286	3.00	9.00	QD	QD	8.80 ci	MOIST IND.	NA	NA	(2) 7/16-20 MALE	YES	0
7-9287	2.50	10.00	QD	QD	12.00 ci	TOP	NA	NA	7/16-20 MALE	NA	0
7-9288	3.00	6.25	3/8 MIO	3/8 MIO	8.80 ci	TOP	3/8-24 FEMALE	NA	NA	YES	0
7-9289	3.00	8.50	3/8 MIO	3/8 MIO	8.80 ci	MOIST IND.	NA	NA	7/16-20 MALE	YES	0
7-9306	1.75	4.00	3/8 CMP	3/8 CMP	NA	NA	NA	NA	NA	NA	0
7-9307	1.75	5.69	3/8 BARB	3/8 BARB	NA	NA	NA	NA	NA	NA	0
7-9308	1.75	4.25	1/2 CMP	1/2 CMP	NA	NA	NA	NA	NA	NA	0
7-9309	1.75	5.69	1/2 BARB	1/2 BARB	NA	NA	NA	NA	NA	NA	0
7-9310	1.75	5.69	5/8 BARB	5/8 BARB	NA	NA	NA	NA	NA	NA	0
7-9312	1.75	5.69	3/4 BARB	3/4 BARB	NA	NA	NA	NA	NA	NA	0
7-9313	2.00	8.25	1/2 BARB	1/2 BARB	NA	NA	NA	NA	3/8-24 MALE	NA	0
7-9314	2.44	3.00	1/2 MIO	1/2 FOR	NA	NA	NA	NA	NA	NA	0
7-9315	2.44	3.08	1/2 CMP	1/2 CMP	NA	NA	NA	NA	NA	NA	0
7-9316	2.44	3.08	1/2 CMP	1/2 CMP	NA	NA	NA	NA	NA	NA	0
7-9317	2.44	2.69	3/8 CMP	3/8 CMP	NA	NA	NA	NA	NA	NA	0
7-9318	2.44	3.47	3/8 CMP	3/8 CMP	NA	NA	NA	NA	NA	NA	0
7-9320	2.44	2.75	3/8 CMP	1/2 FOR	NA	NA	NA	NA	NA	NA	0
7-9327	2.44	5.38	1/2 FEMALE	1/2 MSL	NA	NA	NA	NA	NA	NA	0
7-9329	2.44	5.68	3/8 CMP	3/8 CMP	NA	NA	NA	NA	NA	NA	0
7-9330	2.44	5.06	3/8 FSL	3/8 MSL	NA	NA	NA	NA	NA	NA	0
7-9331	2.44	2.76	1/4 MF	1/4 MF	NA	NA	NA	NA	NA	NA	0

ILLUSTRATION SECTION